



TYRE COMPONENTS & BODYSHOP

WHEEL WEIGHTS	260
TYRE VALVES	261
TYRE REPAIR	262 - 263
TAPE	264
BODYSHOP	265
POLISHING	266

7

Wheel Weights



Wheel Weights for Steel Wheels

Trax wheel weights are approved within the automotive industry by Jaguar, Honda, Ford, Land Rover & Volvo.

- Steel wheel weights.
- Suitable for General Purpose use.
- Fits most modern Euro vehicles with rim horns.

PART NO.	WEIGHT	QTY
32863	5 gram segments	100pc
32864	10 gram segments	100pc
32865	15 gram segments	100pc
32866	20 gram segments	100pc
32867	25 gram segments	100pc
32868	30 gram segments	100pc
32869	35 gram segments	50pc
32870	40 gram segments	50pc
32871	45 gram segments	50pc
32872	50 gram segments	50pc



For alloy wheels

Wheel Weights for Alloy Wheels

Trax wheel weights are approved within the automotive industry by Jaguar, Honda, Ford, Land Rover & Volvo.

- Alloy wheel weights.
- Fits most modern Euro vehicles.
- Plastic coated weights to OE standard.


PART NO.	WEIGHT	QTY
32853	5 gram segments	100pc
32854	10 gram segments	100pc
32855	15 gram segments	100pc
32856	20 gram segments	100pc
32857	25 gram segments	100pc
32858	30 gram segments	100pc
32859	35 gram segments	50pc
32860	40 gram segments	50pc
32861	45 gram segments	50pc
32862	50 gram segments	50pc



Steel Adhesive Wheel Weights 60g

Universal Wheel Weights.

- Suitable for general purpose use, including alloy wheels.
- Supplied on self-adhesive strips.
- 5 gram segments.



Steel Adhesive Wheel Weights 60gm

Universal wheel weights.

- Suitable for general purpose use.
- Supplied on self-adhesive strips.
- 4x 5g & 4x 10g segments per strip.



Motorcycle Wheel Weights 50g

Supplied on self-adhesive strips.


- Motorcycle lead wheel weights.
- 11mm wide.
- 7x 5g & 6x 2.5g segments per strip.




Motorcycle Wheel Weights 60g

Supplied on self-adhesive strips.

- Black motorcycle wheel weights
- 4x 5g & 4x 10g segments per strip.
- 15mm width



LASER®



5620

Wheel Weight Pliers

A specialist pair of pliers for removing and refitting wheel weights.

- Length: 250mm.
- Includes flat blade, probe, hammer edge & pry end.
- Also features a clamping function for closing the hook on clip-on weights.



6601

Wheel Weight Removal Tool

Removes stick on aluminium wheel weights without damaging expensive alloy wheels.

- Adjustable jaws for different sizes of wheel weight.
- Soft grip handles and special soft grip jaws.
- Spring assisted handles.



8323

Wheel Weight Pliers 5-in-1

This 5-in-1 design allows for the pliers to remove stick-on aluminium wheel weights without touching the surface of the rim, helping avoid damage, along with removing traditional clip-on weights used on steel wheels.

- Suitable for both traditional clip on & adhesive wheel balancing weights.
- Features include: removable hammer head with protective cover, to help prevent damage when using on alloy wheels.
- Cutting edge, for trimming down stick-on wheel weights. Soft grip, spring loaded handles, for ease of use.



91274

Trim Removal Chisels Set

A set of four heavy duty impact scrapers made from high quality composite material for removing trim, hubcaps, and adhesive wheel weights etc.

- Sizes: 270mm long, 19, 22, 25 & 38mm wide.
- Can be re-sharpened with a file.

VALVE CAPS

35073

Tyre Valve Caps - Plastic Type

Suitable for cars & commercial vehicles.

- AV Style.
- Plastic.

100
PIECES

LASER

5282

Dust Cap Set

A pack of 5 black tyre value dust caps (also known as value caps), to help prevent dirt and other contaminants from getting into the tyre.

- Made from black plastic.
- Ideal to keep in glove box.

5
PIECES



Snap in Car Tyre Valves

Snap-in car tyre valves, suitable for 11.5mm rim holes.

- TR414 valve.

PART NO.	LENGTH	QTY
35070	48.5mm	100pc
35071	61.5mm	100pc



35072

Motorcycle Snap-in Valve TR412

Motorcycle snap-in tyre valve.

- 25mm protrusion.
- 33mm length.

100
PIECES



35088

Tyre Valve Mounting Tool

For assisting in the fitting & removal of tyre valves.




35074

Tyre Valve Cores

Suitable for Car & Commercial vehicles.

- Short Style.

100
PIECES



35086

Tyre Valve Extension Holder

Suitable for commercial vehicles.

- Single mounting bracket.



7473

Tyre Valve Connector

Tyre valve connector with 1/4" BSP fitting.

- Clip on open type.
- Compact design.
- Brass body.

LASER

VALVE EXTENSIONS



Tyre Valve Extensions - Rigid Type

Suitable for cars & commercial vehicles.

- Tyre valve extension.
- Rigid type.

PART NO.	LENGTH	QTY
35075	52mm	5pc
35076	76mm	5pc
35077	100mm	5pc
35078	112mm	5pc
35079	126mm	5pc



Tyre Valve Extensions Flexible Type

Lets you reach and connect to difficult to access valves so that the tyre pressure can be easily checked and adjusted. These flexible tyre valve extensions are available in three different lengths, making them suitable to fit; Motorcycles, caravans, cars, commercial vehicles and even twin wheel vehicles.

- Michelin flexible type.

PART NO.	LENGTH	QTY
35082	105mm	1pc
35083	180mm	1pc
35084	210mm	1pc



8308

Tyre Valve Stem Puller

Robust tyre valve tool designed to quickly and easily pull Schrader type (car type) valve stems correctly into a wheel rim. The pivoting head screws onto the threaded section of the valve and the handle is then used as a lever to pull the valve into the rim hole, correctly seating it and ensuring there are no air leaks. The soft grip handle also features a thermoplastic rubber rim guard to prevent any damage to the outside edge of the rim.

- Pulls tyre valve stem into wheel rim.
- Length: 280mm.
- 180 degree pivoting head.
- Soft grip handle for ease of use.
- Thermoplastic rubber (TPR) rim guard helps to prevent damage to alloy wheels.

LASER



Tyre Repair

Liquid Buffer Compound Aerosol

Liquid tyre buffer.

- Removes silicones & moulding agents before mechanical buffing takes place.

PART NO.	SIZE
35093	500ml
35094	1L



35095

Blue Cement for Tyre Patches 200gm

Adhesive compound for use with radial & plug type tyre patches

- Supplied with brush-top twist cap



35096

Tube Patch Vulcanising Fluid 175g c/w brush

Special fluid designed for use with tube, valve & rubber based repair systems.

- Supplied with brush-top twist cap.
- Free from CFC & aromatic compounds.



35069

Rema Sealer Inner Liner 650g

Sealing porous innerliners.

- Also to be used on the edge of repaired areas.
- Free of CFC & aromatic compounds.



35092

Bead Sealer for Inner Liners 946ml

Suitable for use on inner tyre liners.

- Can be used on radial & cross-ply tyres.
- Can be used on new or old tyres.



35089

Mont 2000 Bead Lubricant 5kg Tub

High viscosity composition.

- Suitable for cars & commercial vehicles.

PASTE BRUSHES



35090

Mounting Paste Brush - Suitable for Cars

Suitable for use with most tyre lubricants & pastes.

- For use on Light Commercial vehicles & Cars.
- To be used with our code 35089 (above).

35091

Mounting Paste Brush - Suitable for Trucks

Suitable for use with most tyre lubricants.

- For use on Commercial vehicles.
- For application of bead lubricants.



LASER

7916

Tyre Bead Retainer Tool

Tyre bead retainer tool to prevent the tyre bead from slipping when refitting the tyre to the wheel.

- Used to ensure the tyre bead remains under the rim flange while fitting the tyre to the wheel.
- Compact design: 152mm overall length.
- PVC coating prevents damage to rim & provides stronger grip on the rim surface.
- Suitable for on & off road cars, motorcycles & truck tyres.



LASER

8399

Mini Plastic Scraper Chisel

A durable mini scraper made from a non-marring POM material for use on bodywork, trim and alloy wheels. The ergonomic handle features a stop collar designed to keep the blade at a 45 degree angle when pressed against a flat surface, helping avoid damage to painted surfaces when sliding the tip of the chisel blade underneath the trim, body mouldings, badges or wheel weights etc to be removed.

- Blade width: 23mm; blade length: 52mm; total length: 154mm.

35066

Rema Buffing Stone 6mm Shaft

For buffing up tyre before bead sealer is applied to the tyre.

- Golf ball type.
- Tyre preparation.
- 6mm shaft.




7635

Brake Disc & Tyre Depth Gauge

Compact and lightweight set of vernier calipers that also feature a tyre tread depth gauge, making them ideal for use as part of a vehicle safety check or inspection.

- 0 - 60mm range.
- Special Jaw release mechanism allows reading of the brake disc to be retained without releasing the clamping screw.



LASER

DON'T FORGET...

Airline Accessories



See p.219



30
PIECES

Tyre Tube Repair Patches

Red-edged round type.

PART NO.	DIAMETER	PATCH SIZE	QTY
35097	45mm	No 2.	30pc
35098	54mm	No 3.	30pc
35099	75mm	No 4.	30pc



20
PIECES

Tyre Re-Grooving Blades 5-6.0mm (W2)

Square Edge Type Blade

- Suitable for the re-grooving of worn tyres
- 5mm to 6mm - W2

PART NO.	LENGTH	QTY
35104	5mm to 6mm - W2	20pc
35230	6mm to 8mm - W3	20pc
35231	9mm to 14mm - W4	20pc
35232	10mm to 14mm - W5	20pc
35233	17mm to 20mm - W6	20pc



35234

Tyre Milling Cutter Tungsten Carbide

Tungsten carbide cutter.

- Suitable for use on radial & cross ply tyres.
- 6mm shank.
- Supplied in a poly bag.

35068

Rema Patch Stitcher 4mm

For rolling down tyre or tube patches.

- Plastic Handle.
- Wheel Diameter 35mm.



40

PIECES

35103

Combi Plug Patches 6mm

Permanent plug repair for tyre tread puncture.

- For use on radial & cross ply tyres.
- Minicombi mini refill 6mm.
- For use on up to 6mm diameter holes.



12
PIECES

35100

Tyre Marker Pens-Yellow

Suitable for use on most metals, rubber & glass.

- Can be used wet or dry.
- Ideal for marking tyre rubber.



12
PIECES

35102

Tyre Marking Chalk

Suitable for use on most metals, rubber & glass.

- Can be used wet or dry.



5
PIECES

37003

Tyre Seal Kit

Temporary tyre replacement plugs.

- Plug lengths 10.16cm.
- Included in Laser Temporary Off Road Tyre Repair Kit, Part No. 6806 (below).



35101

Motorcycle Puncture Repair Kit

Suitable for punctures up to 4mm diameter.

- Stores beneath most popular motorcycle seats.
- For use on tubeless tyres.

B2B ONLINE ORDERING

EASY ORDERING FOR
ACCOUNT CUSTOMERS

Add orders daily
then send when
complete!



www.toolconnection-online.co.uk


STOCK DATA • UP-TO-DATE PRICES • REPEAT ORDERING

6806

Temporary Off-Road Tyre Repair Kit

Temporary tyre repair kit for Off-Road & Agricultural vehicles. Not to be used for permanent repair for road vehicles

- **Repair tools:**
 - 1 x T handle insert tool,
 - 1 x T handle rasp tool,
 - 1 x tyre pressure gauge 5-50lbs,
 - 2 dust caps.
- **Consumables included:**
 - 1 x tube Rubber Solution 20ml.
 - Plus 15 x tyre plugs (10.16cm).



LASER



Tape



Duct Tape

Hi-Density Strong Adhesive-backed

- Cloth (Gaffer) Tape
- Suitable for a variety of uses
- 50mm x 50 metres

PART NO.	LENGTH	COLOUR	QTY
30178	50mm x 50m	Silver	2pc
30179	50mm x 50m	Black	2pc



Double Sided Tape

Double-sided foam tape.

- Colour :Olive Green
- Industrial standard general purpose tape.

PART NO.	LENGTH	QTY
35307	12mm x 10m	1pc
35308	18mm x 10m	1pc
35309	25mm x 10m	1pc
35310	50mm x 10m	1pc



Silicone Self Fusing Tape 25mm x 3m

Insulates up to 8000 volts when layer is unstretched & seals wet or dry leaks.

- Functions between -60°F to +500°F

PART NO.	SIZE	COLOUR	QTY
35491	25mm x 3m	Red	1pc
35492	25mm x 3m	Black	1pc



Aluminium Foil Tape 50mm x 45m

Soft tempered bright aluminium foil.

- Excellent UV light resistance.
- Honeycomb glassine liner.

Self Amalgamating Tape 19mm x 5m

Stretched and wrapped around cables, electrical joints, hoses, pipes.

- Creates a strong, seamless, rubbery, waterproof, electrical insulating layer.
- Heat, sunlight and weather resistant.



General Purpose Masking Tape

Sealing & insulating, hole closure, repairing and general masking.

- Tension test 55-70N/in.
- Service Temperature Range 0°C to 60°C.

PART NO.	LENGTH	QTY
35213	25mm x 50m	10pc
35214	50mm x 50m	10pc



General Purpose Clear Parcel Tape 48mm x 66m 6pc

Widely used for packaging, sealing, protecting and steadying boxes.

- Total thickness 40mic ±5%.
- Service temperature range: -15°C to +60°C

ELECTRICAL TAPE

30384

Advance AT7 Black PVC Tape

- Material: flame retardant PVC
- 19mm x 20 metre roll
- BSEN 60454-2



Flame Retardant PVC Tape

BSEN 60454-2.

PART NO.	SIZE	COLOUR	QTY
36887	19mm x 20m	Black	1
30373			10
30374			50
30383	50mm x 20m		5
36888	19mm x 20m	Blue	1
30375			10
36889	19mm x 20m	Brown	1
30376			10
36891	19mm x 20m	Yellow / Green	1
30378			10
36890	19mm x 20m	Green	1
30377			10
36892	19mm x 20m	Grey	1
30379			10
36893	19mm x 20m	Red	1
30380			10
36894	19mm x 20m	White	1
30381			10
36895	19mm x 20m	Yellow	1
30382			10



3M 2120 Masking Tape

Hi-Tack Adhesion

- Manufactured by 3M - Grade 2120

PART NO.	LENGTH	QTY
35215	25mm x 50m	36pc
35216	50mm x 50m	24pc



General Purpose Brown Parcel Tape

Widely used for packaging, sealing, protecting and steadying boxes.

- Total thickness 40mic ±5%.
- Service temperature range: -15°C to +60°C

PART NO.	LENGTH	QTY
35212	48mm x 66m	6pc
35217	50mm x 66m	36pc



Black & Yellow Barrier Tape Non-Adhesive

A heavy duty barrier tape designed for clearly marking off areas of limited access. Tape comes on a 500m reel which is ideal for marking out large distances.

- Ideal for marking out or cordoning off areas.
- Durable in all weathers.
- Total thickness 20 mic, elongation 240%, tensile strength 6 N/cm.
- Material : Polythylene (PE) film.

PART NO.	LENGTH	COLOUR	QTY
35364	75mmx 500m	Black & Yellow	1pc
35365	75mmx 500m	Red & White	1pc
35366	50mmx 33m	Black & Yellow	1pc
35367	50mmx 33m	Red & White	1pc



575
PIECES

TOP UP
PACKS



Pg.304

AVAILABLE

34997

Pulling Consumable Kit

Popular consumable assortment to suit the Power-TEC Tec-Spot welder.

• Kit contains:

DESCRIPTION	QTY	TOP UP
Pulling Washers	50	-
Inner Nail Lock	1	-
Nail Electrode	1	-
Washer & Bit Electrode	1	-
Washer & Bit Electrode	1	-
Stud Nails 2.0mm	200	91293
Stud Nails 2.5mm	200	91294
Panel Pull Triangle	20	91299
Squiggly Wire	50	91333
Miracle Straight Bits	50	91687
Shrink Tip	1	92161
Squiggly Wire Adaptor	1	92393



294
PIECES

TOP UP
PACKS



Pg.304

AVAILABLE

34998

Assorted Welding Accessory Kit

Comprehensive welding accessory kit.

• Kit contains:

DESCRIPTION	QTY	TOP UP
Magnetic Electrode for Self Thread Screws	1	91221
Copper Threaded Screws 5mm x 18mm	50	91223
Copper Trim Rivets 3mm x 3.2mm	50	91296
Copper Threaded Screws 4mm x 15mm	50	91298
Electrode for Shrinking	1	92612
Self Thread Screws 5mm x 12mm	30	92615
Self Thread Screws 5mm x 18mm	30	92616
Self Thread Screws 5mm x 25mm	30	92617
Copper Trim Rivets 3mm x 4.5mm	50	92619
Magnetic Electrode for Copper Trim Rivets	1	92620
Magnetic Electrode for Copper Threaded Screws	1	92621



POWER
TEC

The Miracle Panel Repair System

Our multi-award winning Miracle System is regarded as the essential piece of kit in any professional bodyshop. With reduced costs to repair damaged vehicles, insurance companies prefer the Miracle Panel Repair System over standard panel replacement.

One Miracle Repair System - Many Choices!

The Miracle Repair System kits have been designed specifically to meet customer needs. To make kit selection simpler & easier, a number of pre-tailored kits have been developed.

Each kit starts from the Standard Kit and is upgraded with additional or alternative parts, offering customers a variety of ways to use the system in different bodyshop environments.

Visit us online for more information:

www.power-tec.co.uk



TYRE COMPONENTS
& BODYSHOP

A Complete Solution to all of your Workshop Consumable Needs!

connect
Workshop Consumables

HIGH QUALITY POLISHING RANGE FOR THE PROFESSIONAL BODYSHOP

Connect[®]
Workshop Consumables

POLISHING PERFECTION

Paint polishing, finishing and cutting consumables, designed for the restoration and daily maintenance of painted vehicle bodywork.

Superior polyester sponges and woollen pads have the added advantage of excellent tensile strength and durability, offering a professional polishing finish and a longer service life!

POLISHING RANGE INCLUDES:

- Corrugated pads in 150mm & 78mm sizes
- Flat pads, bevel edge pads
- Traditional & mushroom shaped foam heads
- Woollen polishing pads
- Threaded backing pads in 3" & 5" sizes

**SUPPLIED IN
RE-SEALABLE
BAGS FOR CLEAN
STORAGE**

Available from your local Connect Consumables dealer. Visit: www.connect-consumables.co.uk

Foam Head Ball Series Pads - 1pc

- Ball series type foam with screw hole backing pad. Mushroom shape.
- 150mm x 45mm.
- Thread M14.

PART NO.	DESCRIPTION	COLOUR
32282	Removes severe oxidation, scratches and swirls.	White
32283	Polishing and removes swirls.	Orange
32284	Removes light swirls, finishes the polishing process to be used on soft paint for polishing work.	Black

Traditional Foam Heads - 1pc

- Traditional ball series foam with copper headed screw hole backing plate.
- 150mm x 50mm.
- Thread M14.

PART NO.	DESCRIPTION	COLOUR
32285	Removes severe oxidation, scratches and swirls.	White
32286	Polishing and removes swirls.	Orange
32287	Removes light swirls, finishes the polishing process to be used on soft paint for polishing work.	Black

Corrugated Velcro Pads - 1pc

- Corrugated flat velcro pad.
- 150mm x 30mm x 120mm velcro area.

PART NO.	DESCRIPTION	COLOUR
32273	Removes severe oxidation, scratches and swirls.	White
32274	Polishing and removes swirls.	Orange
32275	Removes light swirls, finishes the polishing process to be used on soft paint for polishing work.	Black

Flat Velcro Pads - 1pc

- Flat velcro pad.
- 150mm x 32mm x 130mm velcro area.

PART NO.	DESCRIPTION	COLOUR
32270	Removes severe oxidation, scratches and swirls.	White
32271	Polishing and removes swirls.	Orange
32272	Removes light swirls, finishes the polishing process to be used on soft paint for polishing work.	Black

Bevel Edge Velcro Pads - 1pc

- 150mm x 30mm x 130mm velcro area.
- To be used with a dual action sander.

PART NO.	DESCRIPTION	COLOUR
32279	Removes severe oxidation, scratches and swirls.	White
32280	Polishing and removes swirls.	Yellow
32281	Removes light swirls, finishes the polishing process to be used on soft paint for polishing work.	Black

Corrugated Velcro Pads - 3pc

- 78mm x 30mm velcro area.
- For use on air sanders.

PART NO.	DESCRIPTION	COLOUR
32276	Removes severe oxidation, scratches and swirls.	White
32277	Polishing and removes swirls.	Orange
32278	Removes light swirls, finishes the polishing process to be used on soft paint for polishing work.	Black

Velcro Backing Pads - 1pc

- » Professional velcro backing pads.
- Backing pads to be used with our popular range of cutting, polishing & finishing pads.
- M14 x 2 thread.

PART NO.	SIZE
32290	3"
32291	5"

Woollen Polishing Pads - 1pc

- Outside diameter: 155mm. Velcro diameter: 125mm.
- 100% wool.

PART NO.	DESCRIPTION
32288	Concave woollen thick polishing pad.
32289	Concave woollen fine polishing pad.